## S.K. Medical College, Muzaffarpur

List of Miscellanous Samagri (2019 – 2020) All Item should be of reputed brand (Part-I)

Sl. No.	Name of Items	Quantity
1	Refrigerator 230 lit. (double door)	2
2	Cartridge for HP laser jet cp 1025 colors (4 colors)	
3	Cartridge for photocopier cum scanner cum printer	
4	a. Samsung – B /W scx 4321	
5	b. Samsung B/W SCX 4301	
6	c. Samsung SCX 4021	
7	d. Samsung ML-2161	
8	Anti virus Quick heal (one year)	
9	HP 88A/12A Cartridge	
10	HP 88A/12A Printer	
11	UPS Battery	
12	Speaker (5 in 1)	
13	Ear Mike/collar mike	2
14	Hot Plate	
15	Freeze ( 180 lt)with stabilizer	
16	Online UPS 1 KV, 2KVA & 5 KVA with battery and full	
	installation	
17	Epson-DS-530 model scanner	
18	HP laser jet M1136 MFP Printer	
19		
20	Nichorme loop (only loop without holder)	**************************************
21	Stabilizer (auto cut) 1/2 KVA, 1KVA	
22	Frieze double door of 300 litre with stabilizer	
23	Freeze 165ltr. with stabilizer	
24	New Earthing with all required items and wiring in old Lab & New Lab	
25	AC window 1.5 Ton with stabilizer full installation	
26	AC window 2 Ton with stabilizer full installation	
27	Aquaguard (Kent )/or equivalent	
28	Lecture Podium with mike	
29	Water Culler	2
30	Motor and pump boring 1 HP with full	
	installtion	
31	coller mike	1



32	cordless mouse/Key board	
33	Desktop Computer (dell, Lenovo, Hp, Apple Sony ) with	
	Licence Version in built O S and M S Office of different	H
	Size and latest Specification with Exchange Basis &	
	without exchange basis of old Computers with full	,
	installation.	8
34	Printer + Scanner with photo copy	
35	CD Blank with Plastic cover Each(Sony+HP)	
36	DVD Blank with Plastic cover Each (Sony+HP)	
37	Photocopy, Scanner, Printer Big Size with wifi Color print	
	out (All in one) A3 paper output	
38	Printer Samsung Model-Scx4321NS (Photocopy, Scanner,	
	Printer)	
39	Key Board with cord	
40	Mouse with cord	
41	Pen Drive 8GB, 16GB, 32 GB, 64 GB	
42	Laptop (dell, Lenovo, Hp, Apple Sony ) with Licence	
	Version in built O S and M S Office of different Size and	r e
	latest Specification with Exchange Basis & without	
	exchange basis of old laptops with full installation	
43	H. P. Scanner jet (Model No. – 8270)	
44	D Link network wire	
45	MS Office Software License Version	
46	Window 10 Operating System Software License Version	
47	TABLET (dell, Lenovo, Hp, Apple Sony ) of different Size	
	and latest Specification	
48	Software for Reporting & Networking (for Microbiology	8
	Department)	
49	Exhaust Fan (Big/Small)	
50	Videos Camera Handy (Sony/Canon)	
51	Steel Camera Handicam Sony/Canon	=
52	OHP( with spare bulbs)	
53	Sliding window (aluminum glass window) with iron grill	
54	4 Drawer Fire Resistant Filing Cabinet with Two Hour Fire Resistance of Over all size - 1608 (H) x 560 (W) x 835 (D) and weight 510Kg. * Tolerance - Weight : ± 10% & Dimension : ± 5%	



55	Media Safe to protect computer data and media from Fire, Dust, Pilferage, Humidity, Magnetic Field, Electrostatics, Accidental Damage & Unauthorised Access.  Over all size in mm: External - 798 (H) x 655 (W) x 676 (D). Internal - 500 (H) x 405 (W) x 450 (D).  Weight in kg: 215 & Volume in liters: 91.13  Capacity: DLT/LTD Tapes - 135, Data Catridge - 100, AIT Data Catridge - 390, CD/DVD (R, RW & ram) regular - 400 & Zip Disk Media - 480  All weights and sizes are approximate. Tolerances: Weight ± 10% & Dimensions ± 5%	
56	Water Purifier having following features:  1. APROXIMATE EXTERNAL DIMENSIONS (W X D X H) - 640 X450 X 1350  2. OPERATING POWER SUPPLY - 230 ± 10 % V AC, 50 HZ  3. RUNNING CURRENT IN AMPS (MAX) - 3.2 ± 10 %  4. POWER IN WATTS - 625 ± 10 %  5. WATER STORAGE TANK CAPACITY - 80 LTR  6. CAPACITY WITH COMFORT LEVEL WATER OUTLET TEMPERATURE AT 17° C - 60 LPH  7. COMPRESSOR MAKE - COPE LAND OR TECUMSEH  8. REFRIGENT - FREON 22  9. THERMAL INSULATION FOR STORAGE TANK - PUF  10. TOTAL NO. OF FAUCETS - 2  11. NO. OF COLD WATER FAUCET - 1  12. NO OF NORMAL WATER FAUCETS - 1  13. RECOMMENDD MAX WATER FLOW RATE THROUGH THE FAUCETS IN LPM - 1.5  14. NO OF STAGES FOR FILTER CUM PURIFIER - 3  15. NO OF PURIFIER CIRCUITS - 2  16. PURIFIER FAULT INDICATION (BUZZER) - YES  17. VISUAL CONTROL (LEDS) - YES  18. WATER FLOW SWITH - YES  19. 10 MINUTES UV AUTO SHUT OFF - YES  20. MIN. WATER INPUT PRESSURE IN KG/CM² - 0.4  21. MIN. WATER INPUT PRESSURE IN KG/CM² - 2.0  22. STORGE TANK MATERIAL & BODY MATERIAL - SS 304	
57	Water Purifier having following features:  1. APROXIMATE EXTERNAL DIMENSIONS (W X D X H) - 750 X570X1350  2. OPERATING POWER SUPPLY - 230 ± 10 % V AC, 50 HZ  3. RUNNING CURRENT IN AMPS (MAX) - 4 ± 10 %  4. POWER IN WATTS - 850 ± 10 %  5. WATER STORAGE TANK CAPACITY - 120 LTR  6. CAPACITY WITH COMFORT LEVEL WATER OUTLET TEMPERATURE AT 17° C - 80 LPH  7. COMPRESSOR MAKE - COPE LAND OR TECUMSEH  8. REFRIGENT - FREON 22  9. THERMAL INSULATION FOR STORAGE TANK - PUF  10. TOTAL NO. OF FAUCETS - 3  11. NO. OF COLD WATER FAUCET - 2  12. NO OF NORMAL WATER FAUCETS - 1  13. RECOMMENDD MAX WATER FAUCETS - 1  14. NO OF STAGES FOR FILTER CUM PURIIER - 3  15. NO OF PURIFIER CIRCUITS - 3  16. PURIFIER FAULT INDICATION (BUZZER) - YES  17. VISUAL CONTROL (LEDS) - YES  18. WATER FLOW SWITH - YES  19. 10 MINUTES UV AUTO SHUT OFF - YES  20. MIN. WATER INPUT PRESSURE IN KG/CM² - 0.4  21. MIN. WATER INPUT PRESSURE IN KG/CM² - 2.0  22. STORGE TANK MATERIAL & BODY MATERIAL - SS 304	



## 58 Water Purifier with RO having following features: 1. 0.25 % of Recovery of Purified Water 2. 90% (approx) of Reduction in TDS 3. Cooling Capacity at Comfort Level - 60 Litres 4. Dimensions - 640 x 450 x 1350 in mm (W x D x H) 5. Filtration stages / cartridge -Particulate Filter -> Membrane Life Enhancer Filter -> Sediment Filter -> Pre Carbon Filter -> RO Membrane Filter -> Post Carbon Filter-> Nano Silver 6. Input power rating - 550 Watts 230 V 50 Hz 7. Input Water Conditions - TDS < 2000ppm, Fe < 0.3ppm, Hardness < 500ppm, pH 6.5 to 8.5. free Chlorine < 0.2ppm 8. Input Water Turbidity - < 5 NTU (Max.) 9. Minimum Input Water Pressure - 0.6 Kg / Sq.Cm 10. Net Weight - 85kg 11. No of Stages for Filter cum Purifier - 7 12. No. of Cold Water Faucets - 2 13. No. of Hot Water Faucets - NA 14. Operating Power Supply - 170-260V AC 1 Ph 15. Operating Temperature - 5 Deg C to 40 Deg C 16. Outer Body Material - SS 304 17. Permeate (Purified Water) Production Capacity - 50 LPH 18. Power Consumption - 550 Watts 19. Power in Watts (Max) - 700 ± 10 % 20. Permeate (Purified Water) Production Capacity - 50 LPH 21. Recommended Chlorine In Input Water - 0.2 ppm (Max.) 22. Recommended Hardness In Input Water - 500 ppm (Max.) 23. Recommended Iron In Input Water - 0.3 ppm (max.) 59 1.5Ton 3 Star Split Air Conditioner having ELECTROSTATIC DUST FILTER, ELECTROSTATIC CARBON FILTER, PM 2.5 MICRON FILTER & HYPER PROTECTIVE FILTER, featured with CYCLOJET OUT DOOR UNIT, AIR DIRECTION CONTROL, SECURITY LOCK, CONTROL TYPE - LCD Remote, AUTO OFF/ON TIMER, ECONOMIC SLEEP MODE, REFRIGERANT LEAKAGE DETECTOR, LOUVER POSITION MEMORY, DRY MODE, AUTO FAN SPEED, INTELLIGENT CRF ALERT, AUTO SWING, AUTO CLEANSER, FOLLOW ME, AUTO MODE, AUTO RESTART, SUPER TURBO MODE, LED DISPLAY, TEMP DISPLAY ON/OFF, REFRIGERANT - R22. Indoor Unit - 315mm ((H) x 1030mm (W) x 218mm (D) Outdoor Unit - 704mm (H) x 565mm (W) x 452mm (D) TONNAGE - 1.5 Ton RATED CAPACITY (as per IS1391 (Part 2): 1992 Room air-conditioner. Rounded off as per IS 2:1960 rules for rounding off numerical values) - 5.3 NOMINAL COOLING / HEATING POWER INPUT ((as per IS1391 (Part 2): 1992 Room

air-conditioner. Rounded off as per IS 2:1960 rules for rounding off numerical values)

1737 watts

BEE STAR RATING - 2 Star


AIR FLOW RATE - 700 CFM

RATED POWER SUPPLY - 230 - 1 - 50 (V-Ph-Hz)

Make: Kenstar / Hitachi / Carrier / Godrej

Ba16119

60	2Ton 3 Star Split Air Conditioner having ELECTROSTATIC DUST FILTER, ELECTROSTATIC CARBON FILTER, PM 2.5 MICRON FILTER & HYPER PROTECTIVE FILTER, featured with CYCLOJET OUT DOOR UNIT, AIR DIRECTION CONTROL, SECURITY LOCK, CONTROL TYPE - LCD Remote, AUTO OFF/ON TIMER, ECONOMIC SLEEP MODE, REFRIGERANT LEAKAGE DETECTOR, LOUVER POSITION MEMORY, DRY MODE, AUTO FAN SPEED, INTELLIGENT CRF ALERT, AUTO SWING, AUTO CLEANSER, FOLLOW ME, AUTO MODE, AUTO RESTART, SUPER TURBO MODE, LED DISPLAY, TEMP DISPLAY ON/OFF, REFRIGERANT - R22.  Over all Size: Indoor Unit - 315mm ((H) x 1030mm (W) x 218mm (D) Outdoor Unit - 704mm (H) x 565mm (W) x 452mm (D) TONNAGE - 2 Ton RATED CAPACITY (as per IS1391 (Part 2) : 1992 Room air-conditioner. Rounded off as per IS 2:1960 rules for rounding off numerical values) - 6.1  NOMINAL COOLING / HEATING POWER INPUT ((as per IS1391 (Part 2) : 1992 Room air-conditioner. Rounded off as per IS 2:1960 rules for rounding off numerical values) - 2000 watts  BEE STAR RATING - 2 Star RATED POWER SUPPLY - 230 - 1 - 50 (V-Ph-Hz) AIR FLOW RATE - 725 CFM Make: Kenstar / Hitachi / Carrier / Godrej	
61	Stabilizer with 4KVA Capacity having Voltage Range of 135V - 280V.	**************************************
62	Frost-Free Refrigerator with 3 Star Rating of Minimum Gross Storage Capacity 343 Ltr & Minimum Net Storage Capacity 318 Ltr having Voltage range of 140V ~ 260V at 40° Celsius, Power Source 230AC, Rated Voltage - 230V, Current - 0.6A, Frequency - 50Hz, Rated Power Consumption - 342 KWH, Method of Defrosting - Auto, Heat Insulation Type/Class - Class 1, Refrigerant Gas - R600a, Compressor Details - Reciprocating and Motor Details - AC Motor.  (SAMSUNG / WHIRLPOOL / GODREJ)	
63	Brass Lock having 7 Leaver & 3 Keys.	
64	Tea & Coffee Vending Machine with operating Volatage Range of 100V to 300V & Power Supply 230V / 50Hz / 15A. Featured with initial start up time - 7 min, Number of Products Containers - 2, Number of Mixers - 2, Cup Volume - 90ml, Beverage Dispensing Rate - 5 Cups / min., Beverage Varients - Tea & Coffee, Boiler Capicity - 1.75 ltrs, Canisters Capicity - 1.7 ltrs  Make: Cafe Coffee Day / Godrej / Lipton	
65	Printer ( Dot Matrix, Laser, Inkjet etc) Cannon, HP, Epson, TVS	2 2
66	Barr Code Reader, Bar Coder Printer & Barr Code Scanner (Different Mode)	



## S.K. Medical College, Muzaffarpur

List of Miscellanous Samagri (2019 – 2020) All Item should be of reputed brand (Part-II)

Sl. No.	Name of Items	Quantity
	Part - II	
1.	Detergent Powder (Surf) ½ Kg	
2.	Bleaching powder per Kg	
3.	Antiseptic Hand wash with dispenser 250 Ml	
4.	Antiseptic soap (Dettol, Lifebuoy)	
5.	Phenyl liquid (good quality like eagle) 1 liter	
6.	Napthlin ball 100 /200 gm	
7.	Muric acid ½ litter	
8.	Water drinking glass (शीशा का)	
9.	Water jug (steel /Plastic with cover) – 1 lit/2 lit	
10.	Wiper with stick Mopper (jute/cotton) with stick	
11.	Dust bin (Plastic) Medium	
12.	Lock rose (21, 61 & 51)	
13.	Filter paper (round) 100 pc/pk	
14.	Pencil battery	
15.	Wall clock with battery	
16.	Table top glass – 4 – 6 mm 58" X 36"	
19.	एसीड टवायलेट क्लीनर	
20.	झारू नारीयल	
21.	फूल झारू	
22.	ब्रस (टयूब धोनेवाला) छोटा	
23.	ब्रस बाथ रूम साफ करनेवाला	
24.	कोलीन (शीशा साफ करनेवाला)	
25.	ट्रे (फाइभर / स्टेनलेसस्टील)	
26.	Lock with three key set Small	
27.	Lock with three key set Big	
28.	Screw driver	
29.	Quick fix	



30.	Leucoplast 5 x 10	
31.	Water Bucket	
32.	Trolley	
33.	Mirror big	
34.	Life buy soap of 125 gm	7
35.	Jute (Patua) per kg	
36.	Floor cleaner (wiper) per pc.	
37.	Toilet cleaner (Harpic)	
38.	Floor cleaner (Harpic)	
39.	Phenyl (Rose flavour) Doctor 1 lt.	r.
40.	Odonil	
41.	Glass cleaner	
42.	Shaving Blade	
43.	Godrej Lock (Navtal Nine7 leaver)	
45.	Doctor's phenyl lemon flavour	
46.	Plastic bueket with cover (Big size) foot operated	
47.	Plastic Balti (big)	
48.	Mopper	
49.	Phenyl (ball)	
50.	<b>डस्टर</b> ब्रश	
54.	ट्रॉच (तीन सेल) बड़ा बैट्रीवाला (बैट्री के साथ) 950	
55.	Lifebuoy liquid hands wash with 4 stands	
56.	बड़ा ग्लास 8 एम एम मोटाई टेबुल के लिए साईज (5फिट X 3 फिट X 8 एम एम)	
57.	शौचालय वाईपर	
58.	रूम फेसन्स	
59.	गुड नाइट लिक्विड के साथ मशीन	
60.	मोस्क्यूटो स्प्रे Liquid with Sprayer	
61.	सी0डी0 बैग (प्लास्टीक)	
62.	चाभी रिंग	
63.	ताला (गोदरेज, लिंक, रोज)	
	12 लीवर (लम्बा घुंडीवाला)	
	51 No.	
		7)

	07 leaver	
****	21 No.	
64.	Mosquito repellent Liquid with container	
65.	डोर क्लोजर (फिटींग के दर के साथ) गोदरेज	
66.	टॉर्च (LED) (तीन सेल) पेंसिल बैट्रीवाला (बैट्री के साथ)	
68.	Hand wash stand with fitting (Plastic/Metal)	
69.	Measurement tape (100 mt)	
70.	Floor wiper (plastic/metal) (With Handle)	
71.	Floor Moper (big size) (with Handle)	
72.	डस्टवीन बड़ा ढ़क्कण वाला	
73.	डस्टवीन छोटा ढक्कण वाला	
74.	झोल झारने वाला	
75.	Thread Polister	
76.	Door Mat	
77.	French Chalkpowder	
78.	Plastic Bucket with cover (20 ltr.)	
79.	Leucoplast 4"	
80.	Handy Plast	
81.	Savlon (1 ltr. Bottle)	
82.	Betadine (500 ml)	
83.	Hit spray (mosquito repellent)	
84.	Basin Brush	
85.	Plastic Mug (1 ltr.)	*
86.	Plastic Mug (2 ltr.)	
87.	Tekua	
88.	Freeze Bottle (1 ltr.)	
89.	Flower pot with flower	
90.	Fire Case 2L & 5 L cylinder with gas CO2 and ABC	
	Fire Hydrant System with full campus	
91.	Wiper big size & small size	
92.	Methylated spirit	
93.	Plastic Bucket with LID (big size) Foot Operated	

Da16/19

94.	Bio Hazard bag -big size	
95.	Mouse Pad	
96.	Floor Mopper (फर्श साफ करने की मशीन)	
97.	Table cover (rubber)	
98.	Markin Cloth	
99.	C C TV Camera महाविद्यालय परिसर हेतु (with full installation) 16 Port Network Video Recorder (NVR) 100Mbps100Mbps Bit Rate Input Max (up to 16-ch IP video), HDD SUPPORTED interfaces, 2 MEGAPIXEL, RESOLUTION RECORDING, HDMI & VGA OUTPUT at Up to 1920*1080P,2 SATA,2 USB, THIRD PARTY NETWORK CAMERAS SUPPORTED CAMERA-4mm INDOOR DOME IP CAMERA: 2megapixel (1920 x 1080) resolution ,up to 30 mtr, DWDR & 3D DNR, IP66, POE	
100.	Vaccum Cleaner (Eureka Forbes/and Others)	
101.	घास काटने का मशीन बैटरी के साथ	
102.	BIOMETRIC SYSTEM WITH FULL SET	
103.	Rubber turniquite	**************************************
104.	Disposable Mask (N95)	
105.	Mirror for washroom	
106.	Apron for doctor & Technician	3 1
107.	Cup & plate set	
108.	LED TV 24 INCH,32 INCH, 40 INCH, 55 INCH, 72 INCH WITH INSTALLATION	
109.	Body preserve plastic tank	
110.	Chemical Earthing of Departments with copper wire Full Installation	
111.	Summersable Boring (4 inch) for Hostels and College Premise with Crompton/Havells motor & full installation	-
112.	35 mm armar cable (for high mask)	
113.	Electic Light Bulb( LED/CFL) Fitting with full installation (11"X5 inch)	
114.	Blower Heater-(2000W) Havells/Usha/Bajaj	
115.	HP Scan Jet 8270 Scanner	
116.	TRADE MILE FOR GYM	
117.	DUMBLE GOR GYM	
118.	External Hard Drive 1 TB (Segate/Lenovo/Hp)	
119.	Main Gate Dore Closer	



120.	OHP BULB	1
121.	MICROPHONE BATTERY	
122.	PVC Doors/window with installation (Different size)	
123.	Steel Door / Window with installation ( Different size)	<b>†</b>
124.	ALUMINUM SAUSPEN BIG	_
125.	BIG CUTTOR FOR GARDEN	
126.	BIOMATRIC DUSTBIN	
127.	BATTERY FOR CALL BELL	
128.	BRUSH FOR TEST TUBE NYLON	
129.	CARPET	7
130.	DEAD BODY BAG	
131.	MASK FOR POSTMARTAM WORK	
132.	SCISSOR BIG & SMALL	
133.	TOWEL PLANE	
134.	Synthetic Water tank (1000L,2000L,5000) with full Installation	
135.	Smart Class with Smart T.V. and Audio Visual Aids for class room and Audio Forim.	
136.	Palliers	
137.	Sliding Wrench 14"	
138.	Gouge Than	°
139.	Curved LED TV (139Cm) and above	
140.	Domestic Big Scissor,s	
141.	LPG Cylinder, Commercial with Regulator (As for Require)	
142.	Chair Cusion	
143.	Manual Saw 12"x1.5" with holder & 12"x2.5"	
144.	Iron Hammer 5"x3" with holder	- A
145.	Me Garment Tape (25 fit)	
146.	Podium For Lacture theater with mic & Speeker (Digital Dolb)	
147.	LED Projector with mounting arrangement with full installation	
148.	Projector Screen (50"x80")	
149.	VAC- Integrated Digital Podium	
151.	Power Point Slide Changer	
152.	Router For Wi-Fi	
153	AMC for Electric supply Maintenance on Yearly Basis of administrative building including faculty building 24 hours	,
154	AMC for Water supply Maintenance on Yearly Basis of administrative building including faculty building 24 hours	
	Judining and the state of the s	<u> </u>

155	AMC for All Air Conditioner of administrative building including faculty building 24 hours Service	
156	AMC for all instruments on Faculty basis	
157	CC TV Camera with nvr ip address (Different models) with full installation	
158	Building repair and sanitary maintenance	
160	Gardening Instruments, Grass mopper	

